

Optical Time Domain Reflectometer MTT Plus 410



Overview

The MTTplus-410+ supports a full range of test functions including OTDR, OPM, Light Source and VFL. Geo Tagging of optical test data and picture capture allows technicians to fully document any test location. An intuitive menu structure offers simple test setup for Novice and. The MTTplus-410+ Fiber Optics test module for the VeEX® MTTplus platform now has up to 500,000 data points with 3 cm resolution. GPS coordinates and images can be embedded into the OTDR sor files and. Manuals and User Guides for VeEX MTTplus-410. We have 3 VeEX MTTplus-410 manuals available for free PDF download: User Manual Veex MTTplus-410 Pdf User Manuals. View online or download Veex MTTplus-410 User ManualVeEX MTTplus-410 is a versatile OTDR designed for installation and troubleshooting of FTTx, PON, CATV, Mobile Backhaul, and Metro fiber networks. Its compact and robust design makes it ideal for demanding field test environments.



Article Content

MTTplus-410+ Specification Sheet | PDF | Optical Fiber

While all MTTplus-410+ OTDR can be used to test single PON greater analysis confidence to the technician, regardless of 1x32 spans, we offer specially tuned

VeEX MTTplus-410 User Manual

VeEX MTTplus-410 is a versatile OTDR designed for installation and troubleshooting of FTTx, PON, CATV, Mobile Backhaul, and Metro fiber networks. Its compact and robust design makes it ideal for

VeEX MTT Plus 410+ OTDR Fiber Optics Test Module

Das OTDR Glasfasertestmodul MTTplus-410 + für die VeEX® MTTplus-Plattform verfügt jetzt über bis zu 500.000 Datenpunkte mit einer Auflösung von 3 cm. Der

OTDR VeEX MTTplus 410+ OTDR 1310/1550/1625 (F)nm 39/36/39dB

The MTTplus-410+ supports a full range of test functions including OTDR, OPM, Light Source and VFL. GPS coordinates and images can be embedded into the OTDR sor files and PDF test report

MTTplus-410+ OTDR Module Datasheet

These baseline records are essential to troubleshooting faulty fiber networks and reducing system downtime afterwards. The MTTplus-410+ OTDR employs specialized techniques developed from

MTTplus-410+ | Fiber Optics Module

The MTTplus-410+ supports a full range of test functions including OTDR, OPM, Light Source and VFL. GPS coordinates and images can be embedded into the

MTTplus-410+ HiRes OTDR Module (Telstra Approved)

The MTTplus-410+ supports a full range of test functions including OTDR, OPM, Light Source and VFL. GPS coordinates and images can be embedded into the

Optical Time Domain Reflectometer (OTDR)

MTTplus-410+ Fiber Optics Module 00,000 data points with 3 cm resolution. The MTTplus-410+ supports a full range of test functions i cluding OTDR, OPM, Light Source and VFL. GPS coordinates

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.kilitech.co.za>

Email: info@kilitech.co.za

Phone: +44 20 7183 2649

Address: 1st Floor, The Shard, 32 London Bridge Street, London, SE1 9SG,
United Kingdom

This document is for informational purposes only. Specifications subject to
change without notice.

